

# ONLINE AUCTION



Superabrasive Grinding Wheel & Tooling Manufacturing Equipment – Surplus to Ongoing Operations

## SALE CLOSING

Tuesday, June 30, at 10 AM CT

## ASSET LOCATION

1175 Bowes Road  
Elgin, IL 60123

## INSPECTION

Monday, June 29, from 9 AM  
to 5 PM CT, or by appointment

**PRE-AUCTION  
OFFERS INVITED  
ON MAJOR ASSETS**

COMPLETE CATALOG & INFORMATION:

<https://perfection.global/abrasive>



GREENERD COMPRESSION MOLDING PRESS

**FEATURING:** PHI, GREENERD, HANNIFIN, WABASH COMPRESSION MOLDING PRESSES (UP TO 1,200-TON), ARGA & SINTRIS VACUUM PRESSES, AVS 500-TON VACUUM PRESS, DAKE INDUCTION PRESSES, GCH, ARTER, BLANCHARD ROTARY SURFACE GRINDERS, OKAMOTO SURFACE GRINDER, RUSH FC700W WHEEL DRESSER, MAZAK SQT 15MS CNC LATHES, TRAK TRL 1630SX LATHE, CINCINNATI MILACRON MONOSET CUTTER & TOOL GRINDER, GRIEVE & DESPATCH OVENS, LISTA CABINETS, AND MORE



AVS VHP 16X16-500T-482 VACUUM PRESS



Perfection Industrial Sales  
ph +1-847-545-6374 • fax +1-847-427-8884  
[www.perfectionindustrial.com](http://www.perfectionindustrial.com)

Bidding Available Through  
**BidSpotter**

Perfection Global LLC, Lic.# 444.000438, Tyler Magnuson, Lic.# 441.002690

# COMPRESSION MOLDING PRESSES, INDUCTION PRESSES

## COMPRESSION MOLDING PRESSES

- PHI 1,200 TON COMPRESSION MOLDING PRESS**, s/n 90-11-004, Electric Heated Platen, 700°F, 30.5" x 30.5" Platen, 12" Daylight, 16" Stroke, 1990
- HANNIFIN 300 TON COMPRESSION MOLDING PRESS**, s/n na, Electric Heated Platen, 350°F, 24" x 24" Platen, Approx. 14.5" Open Height
- ALBERT & SON 300 TON COMPRESSION MOLDING PRESS**, s/n na, 24" x 24" Platen, Approx. 16" Open Height (Adjustable)
- BDC 300 TON COMPRESSION MOLDING PRESS**, s/n BDC 3147.0198, Electric Heated Platen, 400°F, 30" x 30" Platen, Approx. 12" Open Height
- ELMES 300 TON COMPRESSION MOLDING PRESS**, s/n na, Electric Heated Platen, 375°F, 20" Diameter Platen, Approx. 11" Open Height
- STEWART BOLLING & CO COMPRESSION MOLDING PRESS**, s/n na, Approx. 150 Ton, Electric Heated Platen, 24" x 24" Platen, Approx. 9" Open Height
- GREENERD 175 TON COMPRESSION MOLDING PRESS**, s/n 35H1234, Electric Heated Platen, 600°F, 24" x 24" Platen, Approx. 9" Open Height
- ERIE 125 TON COMPRESSION MOLDING PRESS**, s/n na, Electric Heated Platen, 700°F, 15" Diameter Platen, Approx. 14" Open Height
- WABASH 100-1515-2TM 100 TON COMPRESSION MOLDING PRESS**, s/n 8312, Electric Heated Platen, 400°F, 15" x 15" Platen, 6-15" Open Height (Adjustable), 7" Stroke
- ELMES 100 TON COMPRESSION MOLDING PRESS**, s/n 11198, Electric Heated Platen, 600°F, 16" x 16" Platen, Approx. 10.5" Open Height (Adjustable)
- TMP 75 TON COMPRESSION MOLDING PRESS**, s/n 4786-T, Electric Heated Platen, 400°F, 16" x 16" Platen, 9" Open Height, 9" Stroke, 7,800 Watt Per Platen, 1985
- WABASH 50-18-2TMAC 50 TON COMPRESSION MOLDING PRESS**, s/n 5644, Electric Heated Platen, 400°F, 18" x 18" Platen, 6-15" Open Height (Adjustable), 7" Stroke
- WABASH 20-1212-2TMB 20 TON COMPRESSION MOLDING PRESS**, s/n 8311, Electric Heated Platen, 12" X 12" Platen, Approx. 6" Open Height (Adjustable)
- CLIFTON COMPRESSION MOLDING PRESS**, s/n na, 17" Diameter Platen

## INDUCTION PRESSES

- DAKE INDUCTION PRESS**, s/n na, 18" Diameter Platen, Approx. 20" Open Height
- DAKE INDUCTION PRESS**, s/n na, 10" Diameter Platen, Approx. 16" Open Height
- DAKE 44-240 INDUCTION PRESS**, s/n 174084, 3" Diameter Platen
- INDUCTOTHERM POWER-TRAK 75-30 75KW POWER SUPPLY**



WABASH COMPRESSION MOLDING PRESS



GREENERD 175 TON COMPRESSION MOLDING PRESS



BDC 300 TON COMPRESSION MOLDING PRESS



TMP 75 TON COMPRESSION MOLDING PRESS



DAKE INDUCTION PRESS



PHI COMPRESSION MOLDING PRESS

# VACUUM PRESSES, MACHINE SHOP

## VACUUM PRESSES

**AVS VHP 16X16-500T-482 500 TON VACUUM PRESS**, s/n 4-1656-1201, w/ Hope Industrial Systems Control, 16" x 16" Platen, Vacuum Enclosed Work Area: 24"D x 24.5"W x 28"H, 95 KVA, 490 Volts, 4 Phase, 60 Hz, 900°F, 17" Stroke, w/ Kinney KT-300D Vacuum Pump, Hunterdon Transformer, 2001

**SINTRIS 10 STV / 21102 VACUUM PRESS**, s/n 1081, w/ Siemens Simatic OP27 Control, 5.5" x 5.5" Platen, Vacuum Enclosed Work Area: 27"D x 17"W x 24"H

**ARGA VACUUM PRESS**, s/n na, w/ Siemens Simatic Panel Control, 9" x 9" Platen, Vacuum Enclosed Work Area: 30"D x 20"W x 28"H



AVS VHP 16X16-500T-482 500 TON VACUUM PRESS



SIEMENS CONTROL

ARGA VACUUM PRESS



SINTRIS 10 STV / 21102 VACUUM PRESS

## MACHINE SHOP

(2) **MAZAK SQT 15MS MARK II LATHES**, s/n 124368, 118403, w/ Mazatrol T-Plus Control, Milling, Sub Spindle, 20.8" Max. Turning Length, 11.8" Max. Turning Diameter, 20 HP Spindle Motor, 5,000 RPM, 8" 3-Jaw Chuck, 12-Position Turret, Jergenson Chip Conveyor

**MAZAK SQT 28MS LATHE**, s/n na, w/ Mazatrol T-Plus Control, Milling, Sub Spindle, 47" Max. Turning Length, 16.1" Max. Turning Diameter, 22" Swing, 10" 3-Jaw Chuck, 12-Position Turret, Jergenson Chip Conveyor

**MAZAK SQT 28M LATHE**, s/n na, w/ Mazatrol T32-3 Control, Milling, 47" Max. Turning Length, 16.1" Max. Turning Diameter, 22" Swing, 12" 3-Jaw Chuck, 12-Position Turret, Tailstock, Jergenson Chip Conveyor

**TRAK TRL 1630 SX CNC LATHE**, s/n 062CH14523, w/ PROTO TRAK SLX Control, 16" Max. Turning Diameter, 30" Max. Turning Length

(2) **2013 KNUTH TURNADO 230/1000 ENGINE LATHES**, s/n 3031, Approx. 18" Swing, 39" Distance Between Centers, 2.3" Spindle Bore, KNUTH 3-Axis DRO, Tailstock

**LEBLOND MAKINO REGAL SERVO SHIFT ENGINE LATHE**, s/n 14E-121, Approx. 19" Swing, 60" Distance Between Centers, 3" Spindle Bore, w/ Sony 2-Axis DRO, Tailstock

**LEBLOND SERVO SHIFT ENGINE LATHE**, s/n 11E-460, Approx. 16" Swing, 80" Distance Between Centers, 3" Spindle Bore, w/ 2-Axis DRO, Tailstock

**DOALL C-4100NC HORIZONTAL BAND SAW**, s/n 524-97144, w/ UNIOP Control

**DOALL C-3300NC HORIZONTAL BAND SAW**, s/n 521-97201, w/ UNIOP Control

**HINES HVR-50 BALANCER**, s/n 3006-04A, w/ Clausing 1635 Drill Press & Dynics FX15 Control

**PR HOFFMAN PR-1 BALANCER**, s/n 2153

**ALSO: RYAZAN & MONARCH ENGINE LATHES**, JET Horizontal Band Saw, GROB Vertical Band Saw, BRIDGEPORT Vertical Milling Machines, MILLER Welders



2 AVAILABLE

MAZAK SQT 15MS MARK II LATHE




PROTO TRAK SLX

TRAK TRL 1630 SX CNC LATHE


For auction inquiries,  
please contact Jennifer Reiner at (847) 545-6374  
or [jennifer@perfectionindustrial.com](mailto:jennifer@perfectionindustrial.com)

# MACHINE SHOP, GRINDING



**2013**

(1 OF 2) **KNUTH TURNADO 230/1000 ENGINE LATHE**



**3" SPINDLE BORE**

**LEBLOND MAKINO REGAL SERVO SHIFT ENGINE LATHE**



**UNIOP CONTROL**

**DOALL C-4100NC HORIZONTAL BAND SAW**

## GRINDING

**BLANCHARD NO.18 ROTARY SURFACE GRINDER**, s/n na, 36" Diameter Magnetic Chuck

**GCH/ARTER D-16 ROTARY SURFACE GRINDER**, s/n 440, 16" Diameter Magnetic Chuck

**ARTER D-16 ROTARY SURFACE GRINDER**, s/n 3315, 16" Diameter Magnetic Chuck

**SUNDSTRAND 24" ROTARY SURFACE GRINDER**, s/n 44-7, 24" Magnetic Chuck

(2) **CINCINNATI MILACRON MONOSET CUTTER & TOOL GRINDERS**, s/n 4898A0190-0001, 4898A0188-0017

(2) **CINCINNATI MILACRON MONOSET CUTTER & TOOL GRINDERS**, s/n 4898A0190-0001, 4898A0188-0017

**RUSH FC700W WHEEL DRESSING MACHINE**, s/n RF 9360, w/ HITECH Control

**GLASSLINE 1507 WHEEL DRESSING MACHINE**, s/n 28140-50

**ALSO: CINCINNATI Tool & Cutter Grinders, COVEL 12A Tool & Cutter Grinder, LANDIS CHW Plain Grinder, OKAMOTO Surface Grinders, BROWN & SHARPE Universal Grinders**



**UNIOP CONTROL**

**DOALL C-3300NC HORIZONTAL BAND SAW**



**HINES HVR-50 BALANCER**



**BLANCHARD NO.18 ROTARY SURFACE GRINDER**




**GLASSLINE 1507 WHEEL DRESSING MACHINE**



**2 AVAILABLE**

**ARTER D-16 ROTARY SURFACE GRINDER**



**24" CHUCK**

**SUNDSTRAND ROTARY SURFACE GRINDER**



**RUSH FC700W WHEEL DRESSING MACHINE**



**2 AVAILABLE**

**CINCINNATI MILACRON MONOSET CUTTER & TOOL GRINDER**

# PLANT SUPPORT

## PLANT SUPPORT

(5) GORBEL FREE-STANDING BRIDGE CRANES

TOYOTA 5FGC15 3,000 LB. LPG FORKLIFT, s/n 70624, 169" Lift Height, Cushion Tires, Side Shift

2020 KAISHAN KRSD-40-115 AIR COMPRESSOR, s/n 302009824U, 40HP

LINDBERG RO-243618-A ATMOSPHERE BATCH BOX FURNACE, 2000°F, 40 kW

ALSO: GRIEVE & DESPATCH Ovens, WILSON ROCKWELL Hardness Testers, OPG 20" Optical Comparator, INGERSOLL-RAND Air Compressor, Scissor Lift, LISTA Cabinets, STRONGHOLD Heavy Duty Steel Cabinets



KAISHAN KRSD-40-115 AIR COMPRESSOR



GORBEL FREE STANDING BRIDGE CRANE



OPG QL-20 OPTICAL COMPARATOR



TOYOTA 5FGC15 LP GAS FORKLIFT



LINDBERG RO-243618-A ATMOSPHERE BATCH BOX FURNACE



GRIEVE INDUSTRIAL OVEN



WILD BARFIELD HW1610 ELECTRIC FURNACE



(1 OF 2) WILSON ROCKWELL HARDNESS TESTER



SCISSOR LIFT

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or [jennifer@perfectionindustrial.com](mailto:jennifer@perfectionindustrial.com)



Bidding Available Through  
**BidSpotter**

View our current auction schedule at [www.perfectionindustrial.com](http://www.perfectionindustrial.com)

### SALE CLOSING

Tuesday, June 30, at 10 AM CT

### ASSET LOCATION

1175 Bowes Road  
Elgin, IL 60123

### INSPECTION

Monday, June 29, from 9 AM  
to 5 PM CT, or by appointment

#### REMOVAL

All items must be removed by Wednesday, July 15. All removal is strictly on an appointment only basis. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, the policy must include a Worker's Compensation rider, and that certificate of insurance must be provided to the auctioneer for review and approval prior to the auction.

#### TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium, and credit card payments are only allowed up to a maximum of \$2,000 per auction. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

#### FURTHER INFORMATION

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or [jennifer@perfectionindustrial.com](mailto:jennifer@perfectionindustrial.com).

#### AUCTION LICENSE

Perfection Global LLC, Lic.# 444.000438, Tyler Magnuson, Lic.# 441.002690

View our current auction schedule at [www.perfectionindustrial.com](http://www.perfectionindustrial.com)