

ONLINE AUCTION



Superabrasive Grinding Wheel & Tooling Manufacturing Equipment – Surplus to Ongoing Operations

SALE CLOSING

Tuesday, June 30, at 10 AM CT

ASSET LOCATION

1175 Bowes Road
Elgin, IL 60123

INSPECTION

Monday, June 29, from 9 AM
to 4 PM CT, or by appointment

**PRE-AUCTION
OFFERS INVITED
ON MAJOR ASSETS**

COMPLETE CATALOG & INFORMATION:

<https://perfection.global/abrasive>



GREENERD COMPRESSION MOLDING PRESS



AVS VHP 16X16-500T-482 VACUUM PRESS

FEATURING: PHI, GREENERD, HANNIFIN, WABASH COMPRESSION MOLDING PRESSES (UP TO 1,200-TON), ARG & SINTRIS VACUUM PRESSES, AVS 500-TON VACUUM PRESS, DAKE INDUCTION PRESSES, GCH, ARTER, BLANCHARD ROTARY SURFACE GRINDERS, OKAMOTO SURFACE GRINDER, RUSH FC700W WHEEL DRESSER, MAZAK SQT 15MS CNC LATHES, TRAK TRL 1630SX LATHE, CINCINNATI MILACRON MONOSET CUTTER & TOOL GRINDER, GRIEVE & DESPATCH OVENS, LISTA CABINETS, AND MORE



**PERFECTION
Industrial Sales**

Perfection Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884

www.perfectionindustrial.com

Bidding Available Through

BidSpotter

Perfection Global LLC, Lic.# 444.000438, Tyler Magnuson, Lic.# 441.002690

COMPRESSION MOLDING PRESSES, INDUCTION PRESSES

COMPRESSION MOLDING PRESSES

- PHI 1,200 TON COMPRESSION MOLDING PRESS**, s/n 90-11-004, Electric Heated Platen, 700°F, 30.5" x 30.5" Platen, 12" Daylight, 16" Stroke, 1990
- HANNIFIN 300 TON COMPRESSION MOLDING PRESS**, s/n na, Electric Heated Platen, 350°F, 24" x 24" Platen, Approx. 14.5" Open Height
- ALBERT & SON 300 TON COMPRESSION MOLDING PRESS**, s/n na, 24" x 24" Platen, Approx. 16" Open Height (Adjustable)
- BDC 300 TON COMPRESSION MOLDING PRESS**, s/n BDC 3147.0198, Electric Heated Platen, 400°F, 30" x 30" Platen, Approx. 12" Open Height
- ELMES 300 TON COMPRESSION MOLDING PRESS**, s/n na, Electric Heated Platen, 375°F, 20" Diameter Platen, Approx. 11" Open Height
- STEWART BOLLING & CO COMPRESSION MOLDING PRESS**, s/n na, Approx. 150 Ton, Electric Heated Platen, 24" x 24" Platen, Approx. 9" Open Height
- GREENERD 175 TON COMPRESSION MOLDING PRESS**, s/n 35H1234, Electric Heated Platen, 600°F, 24" x 24" Platen, Approx. 9" Open Height
- ERIE 125 TON COMPRESSION MOLDING PRESS**, s/n na, Electric Heated Platen, 700°F, 15" Diameter Platen, Approx. 14" Open Height
- WABASH 100-1515-2TM 100 TON COMPRESSION MOLDING PRESS**, s/n 8312, Electric Heated Platen, 400°F, 15" x 15" Platen, 6-15" Open Height (Adjustable), 7" Stroke
- ELMES 100 TON COMPRESSION MOLDING PRESS**, s/n 11198, Electric Heated Platen, 600°F, 16" x 16" Platen, Approx. 10.5" Open Height (Adjustable)
- TMP 75 TON COMPRESSION MOLDING PRESS**, s/n 4786-T, Electric Heated Platen, 400°F, 16" x 16" Platen, 9" Open Height, 9" Stroke, 7,800 Watt Per Platen, 1985
- WABASH 50-18-2TMAC 50 TON COMPRESSION MOLDING PRESS**, s/n 5644, Electric Heated Platen, 400°F, 18" x 18" Platen, 6-15" Open Height (Adjustable), 7" Stroke
- WABASH 20-1212-2TMB 20 TON COMPRESSION MOLDING PRESS**, s/n 8311, Electric Heated Platen, 12" X 12" Platen, Approx. 6" Open Height (Adjustable)
- CLIFTON COMPRESSION MOLDING PRESS**, s/n na, 17" Diameter Platen

INDUCTION PRESSES

- DAKE INDUCTION PRESS**, s/n na, 18" Diameter Platen, Approx. 20" Open Height
- DAKE INDUCTION PRESS**, s/n na, 10" Diameter Platen, Approx. 16" Open Height
- DAKE 44-240 INDUCTION PRESS**, s/n 174084, 3" Diameter Platen
- INDUCTOTHERM POWER-TRAK 75-30 75KW POWER SUPPLY**



WABASH COMPRESSION MOLDING PRESS



GREENERD 175 TON COMPRESSION MOLDING PRESS



BDC 300 TON COMPRESSION MOLDING PRESS



TMP 75 TON COMPRESSION MOLDING PRESS



DAKE INDUCTION PRESS



PHI COMPRESSION MOLDING PRESS

VACUUM PRESSES, MACHINE SHOP

VACUUM PRESSES

AVS VHP 16X16-500T-482 500 TON VACUUM PRESS, s/n 4-1656-1201, w/ Hope Industrial Systems Control, 16" x 16" Platen, Vacuum Enclosed Work Area: 24"D x 24.5"W x 28"H, 95 KVA, 490 Volts, 4 Phase, 60 Hz, 900°F, 17" Stroke, w/ Kinney KT-300D Vacuum Pump, Hunterdon Transformer, 2001

SINTRIS 10 STV / 21102 VACUUM PRESS, s/n 1081, w/ Siemens Simatic OP27 Control, 5.5" x 5.5" Platen, Vacuum Enclosed Work Area: 27"D x 17"W x 24"H

ARGA VACUUM PRESS, s/n na, w/ Siemens Simatic Panel Control, 9" x 9" Platen, Vacuum Enclosed Work Area: 30"D x 20"W x 28"H



AVS VHP 16X16-500T-482 500 TON VACUUM PRESS



ARGA VACUUM PRESS



SINTRIS 10 STV / 21102 VACUUM PRESS

MACHINE SHOP

(2) MAZAK SQT 15MS MARK II LATHES, s/n 124368, 118403, w/ Mazatrol T-Plus Control, Milling, Sub Spindle, 20.8" Max. Turning Length, 11.8" Max. Turning Diameter, 20 HP Spindle Motor, 5,000 RPM, 8" 3-Jaw Chuck, 12-Position Turret, Jergenson Chip Conveyor

MAZAK SQT 28MS LATHE, s/n na, w/ Mazatrol T-Plus Control, Milling, Sub Spindle, 47" Max. Turning Length, 16.1" Max. Turning Diameter, 22" Swing, 10" 3-Jaw Chuck, 12-Position Turret, Jergenson Chip Conveyor

MAZAK SQT 28M LATHE, s/n na, w/ Mazatrol T32-3 Control, Milling, 47" Max. Turning Length, 16.1" Max. Turning Diameter, 22" Swing, 12" 3-Jaw Chuck, 12-Position Turret, Tailstock, Jergenson Chip Conveyor

TRAK TRL 1630 SX CNC LATHE, s/n 062CH14523, w/ PROTO TRAK SLX Control, 16" Max. Turning Diameter, 30" Max. Turning Length

(2) 2013 KNUTH TURNADO 230/1000 ENGINE LATHES, s/n 3031, Approx. 18" Swing, 39" Distance Between Centers, 2.3" Spindle Bore, KNUTH 3-Axis DRO, Tailstock

LEBLOND MAKINO REGAL SERVO SHIFT ENGINE LATHE, s/n 14E-121, Approx. 19" Swing, 60" Distance Between Centers, 3" Spindle Bore, w/ Sony 2-Axis DRO, Tailstock

LEBLOND SERVO SHIFT ENGINE LATHE, s/n 11E-460, Approx. 16" Swing, 80" Distance Between Centers, 3" Spindle Bore, w/ 2-Axis DRO, Tailstock

DOALL C-4100NC HORIZONTAL BAND SAW, s/n 524-97144, w/ UNIOIP Control

DOALL C-3300NC HORIZONTAL BAND SAW, s/n 521-97201, w/ UNIOIP Control

HINES HVR-50 BALANCER, s/n 3006-04A, w/ Clausing 1635 Drill Press & Dynics FX15 Control

PR HOFFMAN PR-1 BALANCER, s/n 2153

ALSO: RYAZAN & MONARCH ENGINE LATHES, JET Horizontal Band Saw, GROB Vertical Band Saw, BRIDGEPORT Vertical Milling Machines, MILLER Welders



MAZAK SQT 15MS MARK II LATHE



TRAK TRL 1630 SX CNC LATHE


For auction inquiries,
please contact Jennifer Reiner at (847) 545-6374
or jennifer@perfectionindustrial.com

MACHINE SHOP, GRINDING



2013

(1 OF 2) **KNUTH TURNADO 230/1000 ENGINE LATHE**



3" SPINDLE BORE

LEBLOND MAKINO REGAL SERVO SHIFT ENGINE LATHE



UNIOP CONTROL

DOALL C-4100NC HORIZONTAL BAND SAW

GRINDING

BLANCHARD NO.18 ROTARY SURFACE GRINDER, s/n na, 36" Diameter Magnetic Chuck

GCH/ARTER D-16 ROTARY SURFACE GRINDER, s/n 440, 16" Diameter Magnetic Chuck

ARTER D-16 ROTARY SURFACE GRINDER, s/n 3315, 16" Diameter Magnetic Chuck

SUNDSTRAND 24" ROTARY SURFACE GRINDER, s/n 44-7, 24" Magnetic Chuck

(2) **CINCINNATI MILACRON MONOSET CUTTER & TOOL GRINDERS**, s/n 4898A0190-0001, 4898A0188-0017

(2) **CINCINNATI MILACRON MONOSET CUTTER & TOOL GRINDERS**, s/n 4898A0190-0001, 4898A0188-0017

RUSH FC700W WHEEL DRESSING MACHINE, s/n RF 9360, w/ HITECH Control

GLASSLINE 1507 WHEEL DRESSING MACHINE, s/n 28140-50

ALSO: CINCINNATI Tool & Cutter Grinders, COVEL 12A Tool & Cutter Grinder, LANDIS CHW Plain Grinder, OKAMOTO Surface Grinders, BROWN & SHARPE Universal Grinders



UNIOP CONTROL

DOALL C-3300NC HORIZONTAL BAND SAW



HINES HVR-50 BALANCER



BLANCHARD NO.18 ROTARY SURFACE GRINDER




GLASSLINE 1507 WHEEL DRESSING MACHINE



2 AVAILABLE

ARTER D-16 ROTARY SURFACE GRINDER



24" CHUCK

SUNDSTRAND ROTARY SURFACE GRINDER



RUSH FC700W WHEEL DRESSING MACHINE



2 AVAILABLE

CINCINNATI MILACRON MONOSET CUTTER & TOOL GRINDER

PLANT SUPPORT

PLANT SUPPORT

(5) GORBEL FREE-STANDING BRIDGE CRANES

TOYOTA 5FGC15 3,000 LB. LPG FORKLIFT, s/n 70624, 169" Lift Height, Cushion Tires, Side Shift

2020 KAISHAN KRSD-40-115 AIR COMPRESSOR, s/n 302009824U, 40HP

LINDBERG RO-243618-A ATMOSPHERE BATCH BOX FURNACE, 2000°F, 40 kW

ALSO: GRIEVE & DESPATCH Ovens, WILSON ROCKWELL Hardness Testers, OPG 20" Optical Comparator, INGERSOLL-RAND Air Compressor, Scissor Lift, LISTA Cabinets, STRONGHOLD Heavy Duty Steel Cabinets



KAISHAN KRSD-40-115 AIR COMPRESSOR



GORBEL FREE STANDING BRIDGE CRANE



OPG QL-20 OPTICAL COMPARATOR



TOYOTA 5FGC15 LP GAS FORKLIFT



LINDBERG RO-243618-A
ATMOSPHERE BATCH BOX
FURNACE



GRIEVE INDUSTRIAL OVEN



WILD BARFIELD HW1610
ELECTRIC FURNACE



(1 OF 2) WILSON ROCKWELL
HARDNESS TESTER



SCISSOR LIFT

For auction inquiries, please contact Jennifer Reiner at
(847) 545-6374 or jennifer@perfectionindustrial.com



Bidding Available Through
BidSpotter

View our current auction schedule at www.perfectionindustrial.com

SALE CLOSING
Tuesday, June 30, at 10 AM CT

ASSET LOCATION
1175 Bowes Road
Elgin, IL 60123

INSPECTION
Monday, June 29, from 9 AM
to 4 PM CT, or by appointment

REMOVAL

All items must be removed by Wednesday, July 15. All removal is strictly on an appointment only basis. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, the policy must include a Worker's Compensation rider, and that certificate of insurance must be provided to the auctioneer for review and approval prior to the auction.

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium, and credit card payments are only allowed up to a maximum of \$2,000 per auction. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

FURTHER INFORMATION

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com.

AUCTION LICENSE

Perfection Global LLC, Lic.# 444.000438, Tyler Magnuson, Lic.# 441.002690

View our current auction schedule at www.perfectionindustrial.com