

ONLINE AUCTION

Surplus Machinery Due to the
Plant Consolidation of an



SALE CLOSING

Tuesday, January 13, at 10 AM CT

ASSET LOCATION

2600 Kimco Drive
Lincoln, NE 68521

INSPECTION

Monday, January 12, from
9 AM to 5 PM CT, or by appointment

**PRE-AUCTION
OFFERS INVITED
ON MAJOR ASSETS**

COMPLETE CATALOG & INFORMATION:

<https://perfection.global/oemfirearms>



TOYODA FH450S HORIZONTAL MACHINING CENTER

FEATURING: 2007 TOYODA FH450S HMC, 2006 HYUNDAI KIA SKT21LMS TURNING CENTER, (2) 2007 HARDINGE GS-250L TURNING CENTERS, 2007 HARDINGE GS 200/66 TURNING CENTER, SUNNEN STH-2000LJEM-074 HORIZONTAL HONE, PIONEER H-1560A HORIZONTAL BROACH, CONVENTIONAL MACHINE TOOLS, 2009 ELECTROX FLEXYZ LASER MARKING SYSTEM, SUNNEN DCM MPI 4562 MAGNETIC PARTICLE INSPECTION SYSTEM, 2008 ELBO CONTROLLI SETHY-306 TOOL PRESETTER, TRANSFORMERS, TOOLING, GRANITE WORK TABLES, AND MORE.



SUNNEN STH-2000LJEM-074 HORIZONTAL HONE



**PERFECTION
Industrial Sales**

Perfection Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884

www.perfectionindustrial.com

Bidding Available Through

BidSpotter

HORIZONTAL MACHINING CENTER, TURNING CENTERS

HORIZONTAL MACHINING CENTER

2007 TOYODA FH450S 4-AXIS HORIZONTAL MACHINING CENTER, s/n NS2017, w/ Fanuc 31i-A Control, X-23.6", Y-23.6", Z-23.6", (2) 17.7" x 17.7" Pallets, 30 HP, 12,000 RPM, BT 40 Spindle Taper, 60-ATC, 1,968 IPM Rapid Feedrate X/Y/Z, 880 lb. Max. Pallet Load, Full 360,000 Position (0.001") NC Table Rotation, Only 6,871 Cutting Hours

TURNING CENTERS

2006 HYUNDAI KIA SKT21LMS TURNING CENTER, s/n SKT21LMS0322, w/ Fanuc Oi-TC Control, 21.7" Max. Swing, 10.2" Max. Turning Dia, 2.6" Max. Bar Capacity 13.8" Max. Swing Over Cross Slide, 20.9" Max. Cutting Length, X-8.3", Z-21.7", ROYAL 3J A2-6 Collet Chuck, 12-Station Turret, Live Milling, Sub Spindle w/ Collet Chuck, Turbo Chip Conveyor, 2006 LNS Eco-Load L Bar Feed, s/n 14251503, (Bar Feed Offered Separately)

2007 HARDINGE GS-250L TURNING CENTER, s/n PLFA7J0013, w/ Fanuc Oi-TC Control, 14.02" Max. Machining Dia, 40.3" Max. Machining Length, 25 HP, 3,500 RPM, 12-Station Turret, 23.4" Swing, X-10.7", Z-41.3", 1,181 IPM X/Z Traverse Rates, 3.1" Bar Capacity, Tailstock, Chip Conveyor

2007 HARDINGE GS-250L TURNING CENTER, s/n BLFA7I0013, w/ Fanuc Oi-TC Control, 14.02" Max. Machining Dia, 40.3" Max. Machining Length, 25 HP, 3,500 Max. RPM, 12-Station Turret, 23.4" Swing, X-10.7", Z-41.3", 1,181 IPM X/Z Traverse Rates, HARDINGE A2-8-65A Collet Chuck, SMW-AutoBlok SLU-2-MS Hydraulic Steady Rest, Chip Conveyor

2007 HARDINGE GS 200/66 TURNING CENTER, s/n BLEA7G0015, w/ Fanuc Oi-TC Control, 14.02" Max. Machining Dia, 23.6" Max. Machining Length, 35 HP, 4,200 Max. RPM, 23.4" Swing Over Cross Slide, 12-Station Turret, X-10.7", Z-23.5", 1,181 IPM X/Z Traverse Rates, Collet Chuck, Tailstock, Chip Conveyor



TOYODA FH450S 4-AXIS HMC—FRONT VIEW



TOYODA FH450S 4-AXIS HMC—SIDE VIEW



HYUNDAI KIA SKT21LMS TURNING CENTER



HARDINGE GS-250L TURNING CENTER



HARDINGE GS-250L TURNING CENTER



HARDINGE GS 200/66 TURNING CENTER



LNS ECO-LOAD L BAR FEED

For auction inquiries,
please contact Jennifer Reiner
at (847) 545-6374 or
jennifer@perfectionindustrial.com

HORIZONTAL HONE, HORIZONTAL BROACH, MISC MACHINERY

HORIZONTAL HONE

SUNNEN STH-2000LJEM-074 HORIZONTAL HONE, s/n 4D1-2019, w/ Siemens Simatic OP17 Control, 1.2"-14.5" OD Part Capacity, 4,000 lb. Workpiece Weight Capacity, 78.7" Stroke Length, Spindle Load Meter, Auto Cycle Timer

HORIZONTAL BROACH

PIONEER H-1560A HORIZONTAL BROACH, s/n A-1619, 15 Ton Capacity, 60" Max. Stroke, 25 FPM Cutting Capacity, 50 RPM Return, 23" Max. Workpiece Dia, 10" Bore in Worktable, 1,800 RPM, 30 HP



PIONEER H-1560A HORIZONTAL BROACH



HONE TOOLING



SUNNEN STH-2000LJEM-074 HORIZONTAL HONE

MISC MACHINERY

SUNNEN DCM MPI 4562 MAGNETIC PARTICLE INSPECTION SYSTEM, s/n 31060

2009 ELECTROX FLEXYZ LASER MARKING SYSTEM, s/n W51990, Programmable X, Y, and Z-Axis, Tilt, Step and Repeat Function

BRIDGEPORT HARDINGE EZ PLUS MILLING MACHINE, s/n HDNG2886MP, EZ Plus CNC Control, 2 HP, Power Draw Bar, 9" x 48" Power Feed Table

2004 DAKE SICMI PSS HYDRAULIC H-FRAME SHOP PRESS, s/n 4468, 40 Ton Capacity, 68 IPM Approaching Speed, 9.5 IPM Work Speed, 23.2" Cylinder Stroke

W.F. WELLS F15 HORIZONTAL BAND SAW, s/n 254, 15" x 17" Capacity, 300 FPM Max. Blade Speed, Roller Conveyor

DOALL 26 VERTICAL BAND SAW, s/n 26482089, 26" Throat, 30" x 30" Table, DBW-15 Blade Welder

COVEL 6" X 18" HAND FEED SURFACE GRINDER, s/n 10F-2127

SUPERMAX KM-408 TOOL & CUTTER GRINDER, s/n 3110

2008 ELBO CONTROLLI SETHY-306 TOOL PRESETTER, s/n 4341, 40 Taper



SUNNEN DCM MPI 4562 MAGNETIC PARTICLE INSPECTION SYSTEM



ELECTROX FLEXYZ LASER MARKING SYSTEM



DAKE 40-TON HYD. H-FRAME SHOP PRESS



DOALL 26 VERTICAL BAND SAW



BRIDGEPORT HARDINGE EZ PLUS MILL

PRE-AUCTION OFFERS INVITED ON MAJOR ASSETS

MISC MACHINERY

MISC MACHINERY (CON'T)

SQUARE D 225T74H 225 KVA SORDEL THREE PHASE INSULATED TRANSFORMER

DONGAN 43-60150SH 150 KVA THREE PHASE GENERAL PURPOSE TRANSFORMER, s/n P13074


(2) SQUARE D 75S3H 75 KVA SORDEL SINGLE PHASE INSULATED TRANSFORMERS

ACME TP1A 45 KVA GENERAL PURPOSE TRANSFORMER

ALSO: CAT 40 Tool Holder, BT 40 Tool Holders, HUOT Tooling Carts, Machine Vises, Bench Vises, Speed Vises, Sine Plates, Magnetic Chucks, R8 Collets and Tooling, C5 Collets, RENISHAW OMP60 Probe, Turret Tooling, Live Tooling, Chuck Jaws, Drill Chucks, Centers, KALAMAZOO Belt Sanders, Parts Washers, Granite Surface Plates, C-Clamps, Vise Grip Clamps, KANT-TWIST Clamps, Work Benches and More



W.F. WELLS F15 HORIZONTAL BAND SAW



ELBO CONTROLLI SETHY-306
TOOL PRESETTER



TRANSFORMERS UP TO 225 KVA



HUOT TOOL CARTS



GRANITE SURFACE PLATES



ASSORTED TOOLING

For auction inquiries, please contact Jennifer Reiner at
(847) 545-6374 or jennifer@perfectionindustrial.com



Bidding Available Through
BidSpotter

View our current auction schedule at www.perfectionindustrial.com

SALE CLOSING

Tuesday, January 13, at 10 AM CT

ASSET LOCATION

2600 Kimco Drive
Lincoln, NE 68521

INSPECTION

Monday, January 12, from
9 AM to 5 PM CT, or by appointment

REMOVAL

All items must be removed by Friday, January 30. All removal is strictly on an appointment only basis. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, the policy must include a Worker's Compensation rider, and that certificate of insurance must be provided to the auctioneer for review and approval prior to the auction.

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium, and credit card payments are only allowed up to a maximum of \$2,000 per auction. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

FURTHER INFORMATION

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com.