

ONLINE AUCTION

Progress Rail

A Caterpillar Company

Complete Plant Closure – Progress Rail Fuel Injection Manufacturing Facility

SALE CLOSING

Thursday, July 9, at 10 AM ET

ASSET LOCATION

3581 Mercantile Ave.
Naples, FL 34104

INSPECTION

Wednesday, July 8, from 9 AM
to 4 PM ET, by appointment only

**PRE-AUCTION
OFFERS INVITED
ON MAJOR ASSETS**

COMPLETE CATALOG & INFORMATION:


<https://perfection.global/progressrail-naples>



MAZAK INTEGREX I-100 S MULTI-TASKING MACHINE

1,000 LOTS FEATURING:

(11) OKUMA, MAZAK, NAKAMURA TOME & HARDINGE TURNING CENTERS - NEW AS 2015, (4) CITIZEN CNC SWISS LATHES, (4) OKUMA & HAAS VMC'S, 2007 DMG MORI NH5000 DCG HMC, (8) STUDER, MITSUBISHI, MICRON & UVA CNC GRINDERS, MICRON & CINCINNATI CENTERLESS GRINDERS, 2015 SUNNEN SV-1015-22 VERTICAL HONE, 2015 KENNAMETAL EXTRUDE HONE ECLINE ECM DEBURRER, 2017 EXTRUDE HONE MICROFLOW HIGH FLOW PROCESS AND TESTING MACHINE, CONVENTIONAL MACHINE TOOLS, HUGE QUANTITY OF TOOLING, FINISHING EQUIPMENT, QA & INSPECTION DEPT., MODULAR TOOL CABINETS, MRO, & PLANT SUPPORT



NAKAMURA-TOME WT-250 II 4-AXIS CNC TURNING CENTER



**PERFECTION
Industrial Sales**

Perfection Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884

www.perfectionindustrial.com

Bidding Available Through

BidSpotter

MULTI-TASKING MACHINES, TURNING CENTERS

MULTI-TASKING MACHINES

2013 MAZAK INTEGREX I-100 S MULTI-TASKING MACHINE, s/n 249704, w/ Mazatrol Matrix II Control, 26.4" Max Machining Length 17.7" Max Machining Dia, 2" Bar Capacity, 17.72"X, 8.27"Y, 35.59"Z, 35.55"W, 30°-240° B-Axis, Full C-Axis Contouring, 15 HP, Max 2,000 RPM Spindle, 12,000 RPM Milling Spindle, (2) Royal Collet Chucks, 36-ATC, KM 63 Spindle Taper, Chip Conveyor, Coolant

2011 MAZAK INTEGREX 200-IV ST MULTI-TASKING MACHINE, s/n 228301, w/ Mazatrol Matrix Control, 26" Swing, 60" Max Cutting Length, 60" Distance Between Chuck Faces, 5,000 RPM Main Spindle, 12,000 RPM Milling Spindle, 225°B, 22.8"X, +/- 3.15"Y, 41.14"Z, 41.34"W, 5.91"X2, 38.98" Z2, (2) 8" 3-Jaw Chucks, 40-ATC, KM63 Spindle Taper, 3" Spindle Bore, (9) Position Crown Turret, Parts Catcher, Sub-Spindle

2005 MAZAK INTEGREX 300-3ST MULTI-TASKING MACHINE, s/n 179408, w/ Mazatrol Matrix Control, 33.5" Swing, 60" Max Cutting Length, 60" Max Distance Between Chuck Faces, (2) 10" 3-Jaw Chucks, 4,000 RPM Spindle Speed Each, 24.8"X, +/- 4.53"Y, 62.4"Z, 9.06"X2, 60.2"Z2, 60.24" Second Headstock W-Axis, 0.0001" B-Axis, 40-ATC, KM63 Spindle Taper, (9) Position Lower Drum Turret, Mist Collector, Tool Eye, Chip Conveyor, Parts Catcher, Pickoff

TURNING CENTERS

2011 NAKAMURA-TOME WT-250 II 4-AXIS CNC TURNING CENTER, s/n M244501, w/ Fanuc 31iA Control, (2) 24-Position Turrets w/ Live Milling, 6000 RPM Milling Spindle Speed, (2) Royal QG-65 Collet Chucks, 4500 RPM, 9.9" Max Turning Dia, 21.9" Max Turning Length, 34" Distance Between Spindles, 2" Bar Capacity, Pick Off, High Pressure Coolant, Chip Conveyor, w/ EDGE 12' Bar Feeder, s/n 22-290722, (Bar Feeder to be Offered Separately)

(2) 2001 NAKAMURA-TOME TW-10 TWIN TURRET TURNING CENTERS, s/n W106205 & W106110, w/ Fanuc 18i-T Control, Dual Royal QG-65 Collet Chucks, Dual 12-Position Turrets, Live Milling, 5,500 RPM Max Spindle Speed, 1.65" Bar Capacity, 8.27" Swing, 8.26" Max Turning Dia, 6.10" Max Turning Length, 30.12" Distance Between Spindles, 7.09"X, 7.87"Z

OKUMA GENOS L300-M TURNING CENTER, s/n PA271, w/ OSP-P200LA-R Control, Collet Chuck, 12-Position Turret, Live Milling, 20.47" Swing, 17.72" Turning Length, 11.81" Turning Dia, 9.25"X, 20.47"Z, 2.5" Bar Capacity, 15 HP, 3,000 RPM Main Spindle, 4,500 RPM Live Spindle, w/ 2013 LNS QLS80 S2 Bar Feed, s/n 27071501

2007 HARDINGE TALENT 6/45SV TURNING CENTER, s/n BLAA7D0059, w/ Hardinge Fanuc 0 Control, Collet Chuck, 12-Position Turret, 7.87" Max Turning Dia, 9.84" Max Turning Length, 5000 RPM Spindle Speed, 10 HP Spindle

(2) 2005 CITIZEN L20 VIII CNC SWISS LATHES, s/n Q15080 & Q15079, 0.79" Max Machining Dia, 787" Max Machining Length, 0.394" Max Drilling Dia, 6,000 RPM Main Spindle, 10-Position Turret, Parts Catcher, Pickoff, Cool Blaster High Pressure Coolant, CITIZEN CAV20L-IS 12' Bar feed



MAZAK INTEGREX 200-IV ST MULTI-TASKING MACHINE



2005 MAZAK INTEGREX 300-3ST MULTI-TASKING MACHINE



NAKAMURA-TOME WT-250 II 4-AXIS CNC TURNING CENTER



2001 NAKAMURA-TOME TW-10 TWIN TURRET TURNING CENTERS

TURNING CENTERS, HMC'S, VMC'S

TURNING CENTERS (CON'T)

2003 CITIZEN M32V CNC SWISS LATHE, s/n P14076, w/ Collet Chuck, 8-Position Turret, Gang Tool Post, 1.25" Bar Capacity, 8,000 RPM Main Spindle, X-Axis Travel: 108mm X1, 120.5mm X2, 235mm X3; Z-Axis Travel: 325mm Z1; 202mm Z2, 410mm Z3; 32mm Max Turning Dia, 320mm Max Turning Length, Pickoff, Cool Blaster High Pressure Coolant, w/ IEMCA Boss 432/37LL 10' Bar Feed, s/n A03081206

2001 CITIZEN M32 CNC SWISS LATHE, s/n P13045, w/ Collet Chuck, 8-Position Turret, Gang Tool Post, 1.25" Bar Capacity, 8000 RPM Main Spindle, X-Axis Travel: 108mm X1, 120.5mm X2, 235mm X3; Z-Axis Travel: 325mm Z1; 202mm Z2, 410mm Z3; 32mm Max Turning Dia, 320mm Max Turning Length, Pickoff, Cool Blaster High Pressure Coolant, w/ IEMCA Boss 432/37 Bar Fed, s/n A02010901

OKUMA LB15 CNC LATHE, s/n 0208AO46, w/ OSP 5000 Control, 2.44" Bar Capacity, 9.84" Max Turning Dia, 19.7" Max Turning Length, 15.75" Max Swing, Collet Chuck, 12-Position Turret, 4,200 RPM Max Spindle Speed, Tailstock, w/ SMW Spacesaver 2003 6' Bar Feed, s/n 11-478

OKUMA LB15 CNC LATHE, s/n 0208AO45, w/ OSP 5000 Control, 2.44" Bar Capacity, 9.84" Max Turning Dia, 19.7" Max Turning Length, 15.75" Max Swing, Collet Chuck, 12-Position Turret, 4,200 RPM Spindle Speed, Tailstock, w/ SMW Spacesaver 2003 6' Bar Feed, s/n 11-477



OKUMA GENOS L300-M TURNING CENTER



2005 CITIZEN L20 VIII CNC SWISS LATHE



CITIZEN M32V CNC SWISS LATHE



2007 HARDINGE TALENT 6/45SV TURNING CENTER

HORIZONTAL MACHINING CENTERS

2007 MORI SEIKI NH5000/50DCG HORIZONTAL MACHINING CENTER, s/n NH502GC0322, w/ MSX 701III Control, (2) 19.7" x 19.7" Pallets, 1100 lb. Pallet Load Capacity, 28.7"X, 28.7"Y, 33.5"Z, 0.001"B, CAT 50 Spindle Taper, 54-ATC, 8,000 RPM Max Spindle Speed

VERTICAL MACHINING CENTERS

2015 HAAS VF-2 VERTICAL MACHINING CENTER, s/n 1121063, w/ Haas CNC Control, 30"X, 16"Y, 20"Z, 3,000 lb. Max Table Load, 20 HP Spindle, 7,500 RPM Max, 1,000 IPM Rapids, 20-ATC, CAT 40 Spindle Taper

2006 HAAS VF-2D VERTICAL MACHINING CENTER, s/n 1053143, w/ Haas Control, 30"X, 16"Y, 20"Z, 3,000 lb. Max Table Load, 20 HP Spindle, 10,000 RPM Max Spindle Speed, 1,000 IPM Rapids, 24-ATC, CAT 40 Spindle Taper, Haas 10" 4th Axis Rotary Table w/ Tailstock, (4th-Axis to be Offered Separately) ***SOLD***

OKUMA MC-4VAE VERTICAL MACHINING CENTER, s/n 0206.9462, w/ OSP 5000 Control, 20-ATC, CAT 40 Spindle Taper, 30"X, 16.1"Y, 17.7"Z, 39.4" x 20.1" Table, 1100 lb. Table Load Capacity, 6,000 RPM Max Spindle Speed, Tsudakoma RNCX-251 10" 4th-Axis Rotary Table, s/n 951389, (4th-Axis to be Offered Separately)



MORI SEIKI NH5000/50DCG HMC



HAAS VF-2 VMC



HAAS VF-2D VMC



OKUMA MC-4VAE VMC

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com

CYLINDRICAL GRINDERS, CENTERLESS GRINDERS

CYLINDRICAL GRINDERS

2012 STUDER S22 6-AXIS CNC OD GRINDER, s/n 1040-0094, w/ Fanuc 31iA Control, 31.5" Max Grinding Length, 25.6" Distance Between Centers, 13.40" Grinding Dia Swing, 6.9" Center Height, 12.2"X, 33.5"Z, 20" x 32.5" x 8" Max Wheel Size, 10 HP Wheel Head, Mist Collector, Hydromatation Filter, Balancer, In-process Gauging

2015 MITSUBISHI PD32-B50P CNC CYLINDRICAL GRINDER, s/n FP122, w/ Fanuc F32iB Control, 12.6" Swing, 19.7" Distance Between Centers, 20" x 5" x 8" Max Wheel Size, 500 RPM Work Head Spindle Speed, Plunge, Marposs E9 Gauging, Hydromatation

(2) TSCHUDIN HTG 310 UNIVERSAL CYLINDRICAL GRINDERS, s/n 85 1059 & 85 1061, 8" Max Workpiece Dia, 13.4" Distance Between Centers, 13.4" Table Travel, 14" x 2" x 5" Wheel Size, 500 RPM Max Work Head Speed



STUDER S22 6-AXIS CNC OD GRINDER



MITSUBISHI PD32-B50P CNC CYLINDRICAL GRINDER



(1 OF 2) TSCHUDIN HTG 310 UNIVERSAL CYLINDRICAL GRINDER

CENTERLESS GRINDERS

2011 MICRON MPC-450-CNC CENTERLESS GRINDER, s/n 6229, w/ Fanuc Øi-TD Control, 0.04" mm Min Dia, 2.36" Max Dia, 18" x 5.12" x 9" Grinding Wheel, 10.2" x 6" x 4" Regulating Wheel, 200 RPM Regulating Wheel Speed, End Feed w/ Loader, SBS Balancing System, Hydromatation System

CINCINNATI 220-8 CENTERLESS GRINDER, s/n 350300080-0023, 4.750" Max Workpiece Dia, .030 Min, 24" Grinding Wheel Dia, 6,500 RPM Grinding Wheel Speed, 12" Regulating Wheel, Through Feed, 20" Wheels, Mist Collector, Coolant

(3) CINCINNATI 107-4 FILMATIC CENTERLESS GRINDER, s/n 35014H74-0007, 35014H5Z-0009 & 35014H5U-22, 14"Dia x 4"W Wheel, 10" Hole, 7-9" Regulating Wheel Dia, End Feed Machine, Dresser, Coolant, Mist Collector

BRYANT 2 CH CENTERLESS GRINDER, s/n H15558, 24"Dia x 8"W Max Grinding Wheel, 12"Dia x 8"W Max Regulating Wheel, 6,500 SFPM Grinding Wheel Speed, 0-350 RPM Regulating Wheel Speed, Variable Speed, 0-4-3/4" Grinding Capacity, 20 HP Grinding Wheel, 2 HP Regulating Wheel, Through Feed, Loader

(5) BRYANT 45M LECTRO-CAM CHUCKING CENTERLESS GRINDERS, s/n X-15868, X-15869, X16015, X-15867, X-16015, 4" x 1/2" x 5" Max Grinding Wheel Size, 3/16" to 1-1/4" Dia Magnetic Chuck Drive, 0.1" Fixed Travel, 0.006 - 0.013" Fine Feed



CINCINNATI 107-4 FILMATIC CENTERLESS GRINDER



BRYANT 2 CH CENTERLESS GRINDER



VIEW OF BRYANT 45M CENTERLESS GRINDERS



MICRON MPC-450-CNC CENTERLESS GRINDER



CINCINNATI 220-8 CENTERLESS GRINDER

INTERNAL GRINDERS, FUEL INJECTOR MANUFACTURING & TESTING

INTERNAL GRINDERS

UVA U88 CNC INTERNAL GRINDER, s/n 7285, w/ Uvatronic Control 2 Spindle, Seat and Bore, Autoloader, In-process Gauging, Nordmann Monitor, Hydromatation, Mist Collector ***SOLD***

UVA U88 CNC INTERNAL GRINDER, s/n 7342, w/ (2) Spindles, Phoenix Contact Touch Screen Control w/ UVAtronic IndraControl V, Seat and Bore, Autoloader, 2" Capacity, Hydromatation, Mist Collector ***SOLD***

(2) UVA U80 CNC INTERNAL GRINDERS

s/n 7443 & 6768, w/ UVAtronic Control, 2 Spindles, No Loader, Mist Collector, (1) w/ Hydromatation ***SOLD***

UVA U80 CNC INTERNAL GRINDER, s/n 7232, w/ UVAtronic Control, (Parts) ***SOLD***

ALSO: Large Assortment of Spindles, Chucks, Power Supplies and Drives



UVA U80 CNC INTERNAL GRINDER



UVA U88 CNC INTERNAL GRINDER

FUEL INJECTOR MANUFACTURING & TESTING

2011 SUNNEN SV 1015-222 VERTICAL HONE, s/n 4K1-1091, w/ Windows Based PC Control, 0.12-2.56" ID Dia Range, 9.8" Workpiece Length, 24.8" Carriage Travel, 2-2,000 IPM Carriage Speed, 30-400 SPM Stroke, 18" Stroke, Servo Driven Table, Expansion, Sunnen PLC Control, Hydromatation

2015 KENAMETAL EXTRUDE HONE ECLINE ELECTROCHEMICAL DEBURRING MACHINE (ECM), s/n M1017, w/ Siemens Simatic HMI Touch Control, 20" x 12" Platen, 20" Opening, 8-Station, Filter Press, KOOLANT KOOLERS Chiller

2017 EXTRUDE HONE MICROFLOW HIGH FLOW PROCESS & TESTING MACHINE, s/n MF15-1679, w/ Allen Bradley PV+ 1000 PLC, Turmoil OC-500R Chiller, Specially Designed for Fuel Injectors

2017 MCM EUI MUI INJECTOR TEST MACHINE, s/n 16125, w/ HOPE Industrial Systems PC Control, Tektronix MDO3024 Mixed Domain Oscilloscope, Hold-downs, Extended Table, Torit Dry Flo Mist Collector

2018 & 2017 JENOPTIK AUTOMOTIVE PLUNGER AND BARREL MATCH SCAN GAUGE SYSTEMS, s/n DB0002421-600B, DB0002421-600A

(2) AA EDM MH5/LASER MICROHOLE EDMS, s/n 102049 & 102050, Volume Production of Fuel Injectors



(2) AA EDM MH5/LASER MICROHOLE EDMS



SUNNEN SV 1015-222 VERTICAL HONE



KENAMETAL EXTRUDE HONE ELECTROCHEMICAL DEBURRING MACHINE



EXTRUDE HONE MICROFLOW HIGH FLOW PROCESS & TESTING MACHINE



MCM EUI MUI INJECTOR TEST MACHINE



JENOPTIK AUTOMOTIVE PLUNGER AND BARREL MATCH SCAN GAUGE SYSTEM

MISC. MACHINERY, PRESSES, TOOLING

MISC. MACHINERY

BRIDGEPORT SERIES I MILLING MACHINE, s/n 212660, 2 HP, 9" x 42" Power Feed Table, Anilam Wizard 3-Axis DRO

BRIDGEPORT SERIES I MILLING MACHINE, s/n 221610, 2 HP, 9" x 42" Table

BRIDGEPORT MILLING MACHINE, s/n 268724, 2 HP, 9" x 48" Power Feed Table

EMCOMAT EM15D LATHE, s/n V3VS2212, 15" Swing, 40" Centers, Tool Post, Tailstock, 35-3000 RPM, 3-Axis DRO

VICTOR 1325GHE ENGINE LATHE, Collet Chuck, Quick Change Tool Post, 70-2000 RPM, Sony LG10 2-Axis DRO, Taper, In/MM

HARDINGE HSL-59 PRECISION BENCHTOP LATHE, s/n na, 5C Spindle Nose, Tool Post, ½ HP

OVERBECK 1BR TWISTER SPEED LATHE, s/n 4742R

JF BERNIS 76-JB-3 BAR CHAMFERING MACHINE, s/n 76-3-522

EX-CELL-O 74 CENTER LAPPING MACHINE, s/n 282, 8" x 48"

SPEEDFAM 36" LAPPING MACHINE, s/n SNG-32BTAW-1204, (4) 12" Rings, Coolant, Hydraulic

(2) LAPMASTER 24 LAPPING MACHINES, s/n 25473, S-6233, 24" Split Plate, (3) 10" Rings, Coolant

BLANCHARD 11 ROTARY SURFACE GRINDER, s/n C2367, Segmented Wheel, 20" Table, Coolant

(2) HARIG EZ SURF II 6" X 18" SURFACE GRINDERS

2008 UNIVERSAL AUTOMATIC ANS-LS DRILLING MACHINE, s/n 3880

POWERMATIC 87 VERTICAL BAND SAW, s/n 8187236, 24" x 24" Table, 20" Throat, Blade Welder

KALAMAZOO AH9AVV HORIZONTAL BAND SAW, s/n 1771

MAGNAFLUX H-710 MAGNETIC PARTICLE INSPECTION SYSTEM, s/n 711231

DUALDRAW DOWNDRAFT TABLE, s/n 98327, 2 HP

ALSO: BALDOR 380T Polishing Lathe, s/n X0606127234, **TAIWANESE 928 12-Ton Shop Press**, **LEPEL LSS-7.5 Induction Hardening Bench**, Demagnetizers, **CATSKILL 16" Abrasive Cut-Off Saw**, Drill Presses, Belt & Disc Grinders, Pedestal Grinders, Drill Point Grinders, and More

PRESSES

DENISON MULTIPRESS R065MC202 6-TON C-FRAME HYDRAULIC PRESS, s/n 21137, 2.75" Cylinder Bore, 10" Stroke, 16" Daylight, 6" Throat, 2" Ram Dia

DENISON MULTIPRESS R065LC261 6-TON C-FRAME HYDRAULIC PRESS, s/n 20450, 2.75" Cylinder Bore, 10" Stroke, 16" Daylight, 6" Throat, 2" Ram Dia



BRIDGEPORT SERIES I MILLING MACHINE



EMCOMAT EM15D LATHE



VICTOR 1325GHE ENGINE LATHE



VIEW OF LAPPING MACHINES



BLANCHARD 11 ROTARY SURFACE GRINDER



HARIG EZ SURF II 6" X 18" SURFACE GRINDER

TOOLING

LARGE SELECTION OF PERISHABLE TOOLING Including Carbide End Mills, HSS End Mills, Carbide Reamers, Reamers, Carbide Inserts, Carbide Inserted Tooling, Boring Bars, Turning Tools, Gun Drills, Broaches, Taps and Dies, Coolant Thru Drills, Assorted Drills and more.

ALSO: Over (500) KM, CAT 40 & CAT 50 Tool Holders, Live Tooling, Turret Tool Blocks, Assorted Chucks, Collet Chucks, Super Spacer, Rotary Tables, Machine Vises, Bench Vises, Tombstones, Drill Press Vises, Grinding Vises, Magnetic Chucks, Spin Indexes, Large Selection of Collets Including 5C, 16C, DA, ER, DF, VDF, EA, TG, and Quick Grip Collets



VIEW OF PERISHABLE TOOLING



VIEW OF TOOL HOLDERS



VIEW OF VISES



DENISON MULTIPRESS 6-TON C-FRAME HYDRAULIC PRESS

QUALITY ASSURANCE

QUALITY ASSURANCE

MAHR MMQ 400-2 FORMTESTER UNIVERSAL FORM MEASURING MACHINE, s/n 54400781

2016 MAHR MARSURF LD130 SURFACE & ROUGHNESS MEASURING STATION, s/n 6851392

MAHR FORMTESTER MMQ44 UNIVERSAL FORM MEASURING MACHINE, s/n 5440649

BROWN & SHARPE GLOBAL IMAGE 5-7-5 COORDINATE MEASURING MACHINE, s/n 0206-1111

QVI CCP CC-16 OPTICAL COMPARATOR, s/n CCP1601073, w/ Q-Check DRO, Joystick

QVI CCP CC-14 OPTICAL COMPARATOR, s/n CCP140132, w/ Q-Check DRO

NIKON V-12 PROFILE PROJECTOR, s/n 3231X8

KEYENCE VHX-S660E DIGITAL MICROSCOPE, s/n 1B910192, w/ NHX-6000 Controller

MITUTOYO HR-530 ROCKWELL HARDNESS TESTER, s/n 000061712

WILSON 4TT ARB ROCKWELL HARDNESS TESTER, s/n 2229

(2) MITUTOYO QMH-600 24" PERFORMANCE DIGITAL HEIGHT GAGES, s/n 0002576 & 0002577

STARRETT FMM-330S SPRING TESTER, s/n 19236527

2016 THERMO SCIENTIFIC FISHER SCI 100L GRAVITY OVEN, s/n 42051060

HARTRIDGE NA2 NOZZLE ANALYZER, s/n 721-573/C12

ALSO: Outside Micrometers, Vernier Calipers, Digital Calipers, Digital Height Gages, Cadillac Gages, Snap Gages, Dial Bore Gages, Over 30 Granite Surface Plates, Lapping Plate, Drop Indicators, Dial Indicators, Hardness Testers, Pin Gage Sets, Snap Gages, Thread Gages, Microscopes and More



MAHR MMQ 400-2 FORMTESTER UNIVERSAL FORM MEASURING MACHINE



MAHR MARSURF LD130 SURFACE & ROUGHNESS MEASURING STATION



VIEW OF HEIGHT GAGES



KEYENCE VHX-S660E DIGITAL MICROSCOPE



THERMO SCIENTIFIC FISHER SCI 100L GRAVITY OVEN



BROWN & SHARPE GLOBAL IMAGE 5-7-5 CMM



QVI CCP CC-16 OPTICAL COMPARATOR



MITUTOYO HR-530 ROCKWELL HARDNESS TESTER



STARRETT FMM-330S SPRING TESTER

PARTS WASHERS, PLANT SUPPORT

PARTS WASHERS

FINDLAY MACHINE & TOOL 4RB50 ULTRASONIC WASH SYSTEM, s/n C13-083 (1995), 3-Stage, Stainless Steel, 18" x 12" x 60" Tray, w/ (5) BLACKSTONE Neptune Ultrasonic Generators

GRAYMILLS SUPER SONIC IMMERSION CLEANING SYSTEM W/ ULTRASONICS, 4kW heater, 37"W x 25"D Platform, 300 lb. Capacity, Immersion Depth 14"/18" At Bottom of Stroke

(3) BRANSONIC CPX8800H ULTRASONIC BATHS, s/n BGS091993370B, BGS0116200208, BGS101766420B

BRANSONIC 5510R-DTH ULTRASONIC CLEANER, s/n RNC01131345F

SONIX SSID4H ULTRASONIC CLEANER, s/n 89121101

SWECO VIBRO-ENERGY 48" VIBRATORY FINISHER, s/n na, 2.5 HP

RAYTECH AV-75 VIBRATORY FINISHER, s/n 67088

Large Variety of **GRAYMILLS, BUILD-ALL, ZEP, CAROLINA, FOUNTAIN, HOMAK** and **WESTWARD** Parts Washers

PLANT SUPPORT

2015 CATERPILLAR TL1055C 10,000 LB. TELEHANDLER, s/n KDE01571, 48" Forks, 55' Max. Lift Height, Outriggers, Auxiliary Hydraulic Piping, Cab with A/C, New Tires, 7,498 Hours (Needs Repair) (Located in Irving, TX) ***SOLD***

ALSO: RAYMOND 20I-R30TT 3,000 lb. Stand-Up Reach Electric Forklift, (40+) LISTA, VIDMAR and NU-ERA Modular Tool Cabinets, Work Benches, Self Dumping Hoppers, Transformers, Fiberglass Step Ladders, Safety Ladders, Toolboxes, Power Tools, Air Tools, Hand Tools, Clamps, Shop Fans, Shop Carts, Shop Shelving Units, Bar Stock, Cantilever Racks, (10) TORIT, ROYAL and ABSOLUTE Mist Collection Systems, Maintenance Crib Including Buss Bar, Buss Plugs, Fuses, Belts, Bearings, Wire Spools



FINDLAY MACHINE & TOOL 4RB50
ULTRASONIC WASH SYSTEM



LISTA & VIDMAR TOOL CABINETS



CATERPILLAR TL1055C TELEHANDLER



GRAYMILLS SUPER SONIC
IMMERSION CLEANING
SYSTEM W/ ULTRASONICS



RAYMOND 20I-R30TT STAND-UP
ELECTRIC FORKLIFT



VIEW OF HAND TOOLS



ROLLING TOOL CHESTS



VIEW OF SELF DUMPING HOPPERS

For auction inquiries, please contact Jennifer Reiner at
(847) 545-6374 or jennifer@perfectionindustrial.com

View our current auction schedule at www.perfectionindustrial.com



Bidding Available Through
BidSpotter

SALE CLOSING

Thursday, July 9, at 10 AM ET

ASSET LOCATION

3581 Mercantile Ave.
Naples, FL 34104

INSPECTION

Wednesday, July 8, from 9 AM
to 4 PM ET, by appointment only

REMOVAL

All items must be removed by Friday, July 24. All removal is strictly on an appointment only basis. All rigging services must be provided by a Progress Rail / Caterpillar Inc. qualified and approved rigger. A list of approved riggers can be found on our website and the Progress Rail online auction page on Bidspotter. The approved riggers will also be included with buyers' invoices.

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium, and credit card payments are only allowed up to a maximum of \$2,000 per auction. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

FURTHER INFORMATION

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com.

AUCTION LICENSE

Tyler Magnuson, Florida Auctioneer License #AU5672

View our current auction schedule at www.perfectionindustrial.com