

ONLINE AUCTION

Phase 2 - CNC Machine
Tools & Support Equipment
Surplus to the Ongoing
Operations of

Smith+Nephew

SALE CLOSING

Tuesday, July 28, at 10 AM CT

ASSET LOCATION

300 Highway 51
Hernando, MS 38632

INSPECTION

Monday, July 27, Strictly by
Appointment Only

**PRE-AUCTION
OFFERS INVITED
ON MAJOR ASSETS**

COMPLETE CATALOG & INFORMATION:

<https://perfection.global/smithnephew-p2>



DMG MORI SEIKI DURA VERTICAL 5080 VMC

FEATURING: (9) DMG MORI/MORI SEIKI DURA VERTICAL 5080 VMCS, HAAS SUPER VF-3SS 4TH AXIS VMC, (5) HAAS, DAEWOO, MORI SEIKI, WASINO CNC LATHES, CHEVALIER GRINDERS, 2022 NAGEL/FANUC ROBOTIC BUFFING CELL, CONVENTIONAL MACHINE TOOLS, BAR FEEDERS, WORKHOLDING, (3) 2013 ROSLER WET BLAST SYSTEMS, DUST COLLECTORS, 2017 TELESIS LASER MARKER, INSPECTION/QA, AIR COMPRESSORS, LISTA MODULAR TOOL CABINETS, AND MORE



CHEVALIER FSG-1632 ADII 3-AXIS AUTOMATIC SURFACE GRINDER



**PERFECTION
Industrial Sales**

Perfection Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884

www.perfectionindustrial.com

Bidding Available Through

BidSpotter

VERTICAL MACHINING CENTERS

VERTICAL MACHINING CENTERS

2013 DMG MORI DURAVERTICAL 5080 CNC VERTICAL MACHINING CENTER, s/n DV005131021, w/ FoIMD Control, CAT 40 Spindle Taper, 30-ATC, 12,000 RPM Max. Spindle Speed, X-31.5", Y-20.9", Z-20", 43.3" x 23.6" Table, 1760 lb. Max. Table Capacity

2012 MORI SEIKI DURAVERTICAL 5080 CNC VERTICAL MACHINING CENTER, s/n DV005120103, w/ FoIMD Control, CAT 40 Spindle Taper, 30-ATC, 10,000 RPM Max. Spindle Speed, X-31.5", Y-20.9", Z-20", 43.3" x 23.6" Table, 1760 lb. Max. Table Capacity

(4) 2011 MORI SEIKI DURAVERTICAL 5080 CNC VERTICAL MACHINING CENTERS, s/n DV005111001, DV005111002, DV005111003, DV005111020, w/ MSX-504IV Control, CAT 40 Spindle Taper, 30-ATC, 12,000 RPM Max. Spindle Speed, X-31.5", Y-20.9", Z-20", 43.3" x 23.6" Table, 1760 lb. Max. Table Capacity

(2) 2010 MORI SEIKI DURAVERTICAL 5080 CNC VERTICAL MACHINING CENTERS, s/n DV005JH2689, DV005JH2691, w/ MSX-504IV Control, CAT 40 Spindle Taper, 30-ATC, 10,000 RPM Max. Spindle Speed, X-31.5", Y-20.9", Z-20", 43.3" x 23.6" Table, 1760 lb. Max. Table Capacity

2009 MORI SEIKI DURAVERTICAL 5080 VERTICAL MACHINING CENTER, s/n DV005112390, w/ MSX-504III Control, CAT 40 Spindle Taper, 30-ATC, 10,000 RPM Max. Spindle Speed, X-31.5", Y-20.9", Z-20", 43.3" x 23.6" Table, 1760 lb. Max. Table Capacity,

2011 BRIDGEPORT GX 1000 4TH AXIS VERTICAL MACHINING CENTER, s/n NVCB1H0186, w/ Fanuc 0i-MB Control, 10,000 RPM Max Spindle Speed, CAT 40, 30-ATC, 4th-Axis Rotary Table ***Removed from Sale – Available with Delayed Release***

2005 HAAS SUPER VF-3SS 4TH AXIS VERTICAL MACHINING CENTER, s/n 39929, w/ Haas Control, 12,000 RPM Max. Spindle Speed, 24-ATC, CAT 40, Hass 4th Axis Rotary Table

2003 DAEWOO DMV-5020D 4TH AXIS VERTICAL MACHINING CENTER, s/n AV550136, w/ Fanuc 21i-M Control, 24-ATC, CAT 40, KOMA 4th-Axis Rotary Table ***Removed from Sale – Available with Delayed Release***



MORI SEIKI DURAVERTICAL 5080 VMC



MORI SEIKI DURAVERTICAL 5080 VMC



MORI SEIKI DURAVERTICAL 5080 VMC



2011 BRIDGEPORT GX 1000 4TH AXIS VMC



2003 DAEWOO DMV-5020D 4TH AXIS VMC



2005 HAAS SUPER VF-3SS 4TH AXIS VMC

PRE-AUCTION OFFERS INVITED ON MAJOR ASSETS

TURNING CENTERS & LATHES, GRINDERS

TURNING CENTERS & LATHES

2004 DAEWOO PUMA 300MSC 5-AXIS TURNING CENTER W/ LIVE MILLING, s/n 30MS1547, w/ Fanuc 18i-TB Control, Collet Chuck, 2800 RPM Max. Spindle Speed, Sub Spindle Collet Chuck, 12-Position Turret, 14" Max. Turning Dia., 23.2" Max Swing, 24" Max. Machining Length, 30" HP, 4" Through-Hole

2002 DAEWOO PUMA 230MB TURNING CENTER W/ LIVE MILLING, s/n P23M2331, w/ Fanuc 18i-T Control, Collet Chuck, 3500 RPM Max. Spindle Speed, 12-Position Turret w/ Tooling Including Live Tools, 3000 RPM Live Tool Speed, Tailstock, 11" Turning Dia, 19" Turning Length, X-8.07", Z-22.8", 2" Bar Capacity, Chip Conveyor

2008 HAAS TL-1 CNC LATHE, s/n 3081957, w/ Haas Control, 16" Max. Cutting Dia., 30" Max. Cutting Length, 16" Swing Over Apron, 9.5" Swing Over Cross Slide, 30" Between Centers, X-8", Z-30", 2000 RPM Max. Spindle Speed, Samchully 7.5" 3-Jaw Chuck

MORI SEIKI SL250BMC CNC LATHE, s/n 209, w/ MSC-518 Control, Collet Chuck, 10-Position Turret w/ Live Milling, 15.53" Max. Turning Dia, 22.64" Max. Turning Length, 26.77" Swing Over Bed, X-9.25", Z-22.64"

WASINO LJ-103M CNC LATHE, s/n 591, w/ Fanuc Control, 17" Swing, 15" Max. Turning Dia., 40" Between Centers, X-9.5", Z-40.15", 3500 RPM Max. Spindle Speed, 12-Position Tail Stock

LEBLOND 16" X 54" LATHE, s/n 1037, 45-1800 RPM, 8" 3-Jaw & 10" 4-Jaw Chuck, Tailstock, Threading

ALSO: 2017 LNS GT 326-E 8' Bar Feeder, **HAAS TR160 Tilting 2-Axis Trunnion Table**, **CHIPBLASTER D30 High Pressure Coolant System**



2004 DAEWOO PUMA 300MSC 5-AXIS TURNING CENTER



2002 DAEWOO PUMA 230MB TURNING CENTER



2008 HAAS TL-1 CNC LATHE



MORI SEIKI SL250BMC CNC LATHE



LEBLOND 16" X 54" LATHE



LNS GT 326-E 8' BAR FEEDER



HAAS TR160 TILTING 2-AXIS TRUNNION TABLE

GRINDERS

CHEVALIER FSG-1632 ADII 3-AXIS AUTOMATIC SURFACE GRINDER, s/n GB971001, 32" Max. Grinding Length, 16" Max. Grinding Width, 24" Distance from Table to Spindle Centerline, Filter System

(2) 2004 & 2002 WELDON 1632 GOLD CNC UNIVERSAL CYLINDRICAL GRINDERS, s/n 937, 906, w/ GE Fanuc Series 18i-M Control, SB-4500 SBS Balance System, 16" Max. Work Swing, 32" Max. Distance Between Centers, 1200 Lb. Workpiece Capacity, 0-320 RPM Infinitely Variable, Full C-Workhead, 15 HP, 16" Max Wheel Size, Encyclon Filtration System ***Removed from Sale – Available with Delayed Release***

CHEVALIER FSG-612SP RECIPROCATING SURFACE GRINDER, s/n A5971011, 12" Max. Grinding Length, 6" Max. Grinding Width, 8" Max. Wheel Dia.

ALSO: RANCHO MACHINO Dual End Grinder/Sander, **G&P PW-3 Dual End Buffer**, **BOYAR SHULTZ 612 Hand Feed Surface Grinder**, **(4) STEPHAN BADER 1004A 2" Belt Sander/Grinders**, **BALDOR 252 Dual End Grinder**



CHEVALIER FSG-1632 ADII 3-AXIS AUTOMATIC SURFACE GRINDER



2004 WELDON 1632 GOLD CNC UNIVERSAL CYLINDRICAL GRINDER



2002 WELDON 1632 GOLD CNC UNIVERSAL CYLINDRICAL GRINDER

GRINDERS, ROBOTIC BUFFING CELL, MISC. MACHINERY

ROBOTIC BUFFING CELL

2022 NAGEL ROBOTIC BUFFING CELL, s/n 10587, w/ 2022 FANUC Robot LR Mate 200iD/7L Robot, s/n R224005AD, Pendant Control, (6) Wheel, Allen-Bradley PanelView Plus 700 PLC Control, Royal Mist Collector

MISC. MACHINERY

CLAUSING KONDIS FV-1 MILLING MACHINE, s/n R-861, 3 HP, 9" x 48" Power Feed Table, 60-4000 RPM, Anilam Mini Wizard 2-Axis DRO, KURT D675 6" Machine Vise

LAGUN FTV-2 MILLING MACHINE, s/n na, 3 HP, 10" x 50" Power Feed Table, 4250 Max RPM Spindle Speed, KURT D675 6" Machine Vise

HURCO SM1 MILLING MACHINE, s/n SB-8001106, 3 HP, 9" x 42" Power Feed Table, 60-4000 RPM, DRO

2003 ACTSPARK SD1 EDM DRILL, s/n 020-009, 11.8" x 15.7" Table, X-11.8", Y-7.8", Z-11.8"

DOALL 3613-1 VERTICAL BAND SAW, s/n 440-90385, 36" Throat, 26" x 26" Table, 5200 FPM Max Blade Speed

POWERMATIC 87 VERTICAL BAND SAW, s/n 9087009, 19.75" Throat, 24" x 24" Table, Blade Welder

MILLER SYNCROWAVE 250 TIG WELDER, s/n KK314346

ALSO: CLAUSING 1768 Drill Press, **JOHNSON Model J 10" x 18" Horizontal Band Saw**, **WELLSAW 1016 10" x 16" Horizontal Band Saw**, **JONES & LAMSON FC-30 Optical Comparator**




CHEVALIER FSG-612SP RECIPROCATING SURFACE GRINDER



JOHNSON MODEL J 10" X 18" HORIZONTAL BAND SAW



CLAUSING KONDIS FV-1 MILLING MACHINE



LAGUN FTV-2 MILLING MACHINE



BUFFING CELL—INTERIOR VIEW



NAGEL ROBOTIC BUFFING CELL



HURCO SM1 MILLING MACHINE



2003 ACTSPARK SD1 EDM DRILL



DOALL 3613-1 VERTICAL BAND SAW



MILLER SYNCROWAVE 250 TIG WELDER



JONES & LAMSON FC-30 OPTICAL COMPARATOR

PLANT SUPPORT

PLANT SUPPORT

(2) 2022 NATIONAL LAB PROFICOOL GENIUS PCGE 530.01-NEE CHILLERS, s/n 14M-017760, 22M-005204, 66,000W Cooling Capacity

(3) 2013 ROSLER JKS 48-4/6 WET BLAST SYSTEMS, s/n 59901, 59902, 59903, w/ Siemens Simatic Panel Touch Screen Control, (4) Station Turn Table, Filter System

GARDNER DENVER FCPSME AUTO SENTRY ES + 100 HP AIR COMPRESSOR, s/n M52926, (Condition Unknown)

GARDNER DENVER EBMSLA 75 HP AIR COMPRESSOR, s/n M63875, (Condition Unknown)

PNEUMATECH PE-1250 HEAT ACTIVATED REGENERATIVE AIR DRYER, s/n 0204-S137142-031539, 1250 SCFM, 150 PSIG, 15 KW Heater

2017 TELESIS FQ20DS VAR-Z LASER MARKER, s/n 04097, (Needs Repair)

ALLOYD AERGO 2 PLUS SEMI-AUTOMATIC SHUTTLE STYLE BLISTER SEALER, s/n M2005-014, Allen-Bradley PanelView 600 PLC Control, Up to 8 Cycles/Minute, 14" x 28" Sealing Capacity, 550°F Ambient Temp Range, Two-Station

SHANKLIN T-6XL HEAT SHRINK TUNNEL, s/n T-9813, 11"W x 57"L Belt, 15-66 FPM Variable Speed, 50°-500°F Approx. Temp Range

ALSO: DONALDSON TORIT VS1500 Dust Collector, DONALDSON TORIT MOD Media 128081 Dust Collector, DONALDSON TORIT WSO 20 Mist Collector, (11) LISTA Modular Tool Cabinets, (2) LISTA & GORBEL Wood Top Work Benches, STARRETT 24" x 36" x 6" Granite Surface Plate on Steel Base



(1 OF 2) NATIONAL LAB PROFICOOL GENIUS PCGE 530.01-NEE CHILLER



2013 ROSLER JKS 48-4/6 WET BLAST SYSTEM



GARDNER DENVER FCPSME AUTO SENTRY ES+ AIR COMPRESSOR



GARDNER DENVER EBMSLA AIR COMPRESSOR



PNEUMATECH PE-1250 HEAT ACTIVATED REGENERATIVE AIR DRYER



DONALDSON TORIT VS1500 DUST COLLECTOR




TELESIS FQ20DS VAR-Z LASER MARKER



ALLOYD AERGO 2 PLUS SEMI-AUTOMATIC SHUTTLE-STYLE BLISTER SEALER



DONALDSON TORIT WSO 20 MIST COLLECTOR



LISTA MODULAR TOOL CABINET



LISTA 10-DRAWER MODULAR TOOL CABINET W/ WOOD TOP

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com



Bidding Available Through BidSpotter

View our current auction schedule at www.perfectionindustrial.com

SALE CLOSING
Tuesday, July 28, at 10 AM CT

ASSET LOCATION
300 Highway 51
Hernando, MS 38632

INSPECTION
Monday, July 27, Strictly by Appointment Only

REMOVAL

To ensure that all lots are loaded in accordance with the designated removal schedule and to provide convenience for the Buyer, all removal will be completed by the exclusive rigging contractor, Nabholz Construction Corporation. Scheduled removal dates are August 5th, 6th, and 7th. All rigging fees have been published on a per lot basis within the lot catalog. These rigging fees will be added to the Buyer's auction invoice by the Auctioneer for collection and will be remitted to Nabholz Construction Corporation.

NOTE: The rigging fees published in the lot catalog apply only to removals scheduled for August 5th, 6th, and 7th. Any removal outside of these dates will result in additional rigging and loading charges, to be paid directly to Nabholz Construction Company.

Due to ongoing production and space requirements at the plant, all machines were professionally removed from service and moved to Nabholz Construction Company's facility in Hernando, MS.

Nabholz Construction Company
Chad Smith • (901) 273-6587 • chad.smith@nabholz.com

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium, and credit card payments are only allowed up to a maximum of \$2,000 per auction. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

FURTHER INFORMATION

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com.