

LIVE WEBCAST ^{ONLINE ONLY} AUCTION

SALE DATE

Tuesday, February 10, at 10 AM CT

ASSET LOCATION

280 E 90th St
Davenport, IA 52806

INSPECTION

Monday, February 9, from 9 AM
to 4 PM CT, or by appointment

**PRE-AUCTION
OFFERS INVITED
ON MAJOR ASSETS**

COMPLETE CATALOG & INFORMATION:

<https://perfection.global/superiortube>

Bidding Available Through

BidSpotter



**Metal Tube Fabrication
& Bending Facility**



SOCO SR900 12" CNC TUBE BENDER



MAZAK 3D FABRI-GEAR 400 II 4000 WATT CNC TUBE LASER

FEATURING: 2014 MAZAK 3D FABRI GEAR 400 II 16" TUBE LASER; 2011 ALTAMAR LT2410-PRC2500 6.5" TUBE LASER; (10) SOCO, PINES, EAGLE, HORN, AND EATON LEONARD TUBE BENDERS UP TO 12" W/ BENDPRO CONTROLS; (3) NIPPEI TOYAMA 610 5-AXIS SHEET LASERS AS NEW AS 2005; 2006 HAAS EC-1600 HMC; (4) HAAS VMCS; 2016 VIZIENT WELD CELL; 2014 MARVEL 2150-PC3S VERTICAL BAND SAW; 2006 AMADA HKB6050 CNC BAND SAW; NOVA 66 TON OBI PRESSES; CAT, CLARK, AND NISSAN FORKLIFTS UP TO 10,000 LB. CAPACITY; HOOSIER 10 TON FREE-STANDING CRANE; (4) FARO PORTABLE CMM'S; ORBITAL STRETCH WRAPPER; PLANT SUPPORT EQUIPMENT



**PERFECTION
Industrial Sales**

Perfection Industrial Sales

ph +1-847-545-6374 • fax +1-847-427-8884 | www.perfectionindustrial.com

(5) LASERS, (10) TUBE BENDERS & SUPPORT MACHINERY

(5) LASERS

2014 MAZAK 3D FABRI-GEAR 400 II 4000 WATT CNC TUBE LASER, s/n 258503, w/ Mazak FC-30i-L5 Control, 16" Max Tube Diameter, 315" Max Tube Length, 26'3" Infeed Tube Capacity, 26'3" Outfeed Tube Capacity, Material Thickness Capacities: .866" Mild Steel, .393" Stainless, .314" Aluminum, w/ PLASER MDC-4-1636 Collection System, PANASONIC Resonator

2011 ALTAMAR LT2410-PRC2500 2500 WATT CNC TUBE LASER, s/n 15-0009-22, w/ Alta Control, 10" Max Tube Diameter, 288" Max Tube Length, KOOLANT KOOLERS Chiller, TORIT DFO2-2 Collection System, s/n 354026

2006 NTC TLM-610 CWST 3300 WATT CNC 5-AXIS GANTRY TYPE LASER, s/n L500735, w/ TDLC-04R Control, Pendant, 32" x 132" Tables, 32" Under Laser, 4th Axis Ready, PRC 2500 Laser Power Units, KOOLANT KOOLERS Chiller

(2) 2005 & 2002 NTC TLM-610 CWST 3300 WATT CNC 5-AXIS GANTRY TYPE LASERS, s/n L500651, L500486, w/ TDLC-04R Control, Pendant, 32" x 132" Tables, 32" Under Laser, 4th Axis Ready, PRC 2500 Laser Power Units, KOOLANT KOOLERS Chiller, HAAS Rotary Table (Rotary Table to be Offered Separately)



ALTAMAR LT2410-PRC2500 2500 WATT CNC TUBE LASER

(10) TUBE BENDERS & SUPPORT MACHINERY

2014 SOCO SR900 12" CNC TUBE BENDER, s/n MH20140850, w/ BendPro G2 Control, Single Stack Bender

EAGLE EPT 150 DR 6" CNC TUBE BENDER, s/n 664022, w/ BendPro G2 Control

HMT/HORN HMT 5.0E-MS 5" TUBE BENDER, s/n 11R5EMS576B, w/ BendPro G2 Control

CRITERION 4" TUBE BENDER, s/n na, w/ BendPro G2 Control, 144" Bed

PINES 4" TUBE BENDER, s/n na, w/ BendPro G2 Control

EATON LEONARD VECTORBEND VB300 HSRH 3" TUBE BENDER, s/n VB300HSL503, w/ BendPro G2 Control

HORN / EATON LEONARD NO. 300 TUBE BENDER, s/n na, w/ BendPro G2 Control

EAGLE EPT 25 1" TUBE BENDER, s/n na, w/ BendPro G2 Control

EATON LEONARD VECTORBEND VB200 HPR 2" TUBE BENDER, s/n R018-IPC1292, w/ Pro-Face PLC Control. Note: Remanufactured by SMT Industries S.O.# 13194

EATON LEONARD VECTORBEND VB200 HPL 2" TUBE BENDER, s/n 083-IPC0488 w/ ADVANTECH PLC Control

BURRMASTER DUAL END TUBE DEBURRER, s/n 1M1560

INNOVO H237DN SINGLE TUBE DOUBLE-END NOTCHER, s/n 51054

LARGE SELECTION OF TUBE BENDER DIES AND TOOLING – Various Sizes



NTC TLM-610 CWST 3300 WATT CNC 5-AXIS GANTRY TYPE LASER




EAGLE EPT 150 DR CNC TUBE BENDER



HMT/HORN HMT 5.0E-MS TUBE BENDER

(10) TUBE BENDERS & SUPPORT MACHINERY



EATON LEONARD VECTORBEND VB300 HSRH TUBE BENDER



HORN / EATON LEONARD NO. 300 TUBE BENDER



CRITERION 4" TUBE BENDER




PINES 4" TUBE BENDER



EAGLE EPT 25 1" TUBE BENDER



(2) EATON LEONARD VECTORBEND VB200 2" TUBE BENDERS



BURRMASTER DUAL END TUBE DEBURRER



INNOVO H237DN SINGLE TUBE DOUBLE-END NOTCHER



LARGE SELECTION OF TUBE BENDER DIES AND TOOLING



ROBOTIC WELD CELLS & WELDERS, (6) CNC MACHINE TOOLS

ROBOTIC WELD CELLS & WELDERS

2016 VIZIENT ROBOTIC WELD CELL, w/ 2015 FANUC ARC Mate 120iC 12L, s/n R15301918, w/ FANUC R-30iB Controller and Pendant, VIZIENT CT2024825 Servo Track, Dual VIZIENT CT2024818 Positioners, 132" x 72" Diameter Capacity Per Positioner, 5,000 Lb. Max Weight Capacity Per Positioner, LINCOLN R500 Power Wave MIG Welder, s/n U1160700262, LINCOLN 4R220 AutoDrive Wire Feeder, Weld Cooler

GENESIS ROBOTIC WELD CELL, w/ FANUC ARC Mate 120iB 10L Robot, s/n R04776883, w/ FANUC R-J3iN Control, LINCOLN POWER WAVE 455M MIG Welder, s/n U1050320672, and Dual Station Rotary Positioner

ALSO: MILLER AXCESS 300 MIG Welder w/ AXCESS 40V Wire Feeder, MILLER DELTAWELD 350 MIG Welder w/ Intellix Pro Wire Feeder, LINCOLN CV-400 MIG Welder w/ LF-72 Wire Feeder, LINCOLN CV-300 MIG Welder w/ LN-7 Wire Feeder, MILLER CP-302 MIG Welder w/ 24V Wire Feeder



VIZIENT ROBOTIC WELD CELL

(6) CNC MACHINE TOOLS

2006 HAAS EC1600 HORIZONTAL MACHINING CENTER, s/n 51842, w/ 36" x 64" Table, 32" Rotary Table, CAT 50, 30-ATC, X-64", Y-50", Z-32"

HAAS VF-10 VERTICAL MACHINING CENTER, s/n 14613, w/ 28" x 120" Table, 4,000 lb. Max Table Load, CAT 40 Spindle Taper, 20-ATC, X-120", Y-32", Z-30", 20 HP

HAAS VF-6 VERTICAL MACHINING CENTER, s/n 8244, w/ 28" x 64" Table, CAT 40 Spindle Taper, 20-ATC, X-64", Y-32", Z-30", 15 HP

HAAS VF-5 VERTICAL MACHINING CENTER, s/n 15610, w/ 24" x 54" Table, 4,000 lb. Max Table Load, CAT 40 Spindle Taper, 20-ATC, X-50", Y-26", Z-25", 20 HP, 710 IPM

HAAS VF-3 VERTICAL MACHINING CENTER, s/n 9755, w/ 18" x 48" Table, CAT 40 Spindle Taper, 20-ATC, X-40", Y-20", Z-25", 15 HP, 710 IPM

MILLTRONICS ML26 CNC TURNING CENTER, s/n 10401, w/ 12" 3-Jaw Chuck, 8-Position Turret, Tailstock, Steady Rest



MILLTRONICS ML26 TURNING CENTER



SAMPLE VIEW OF WELDERS



GENESIS ROBOTIC WELD CELL



2006 HAAS EC1600 HORIZONTAL MACHINING CENTER



HAAS VF-10 VERTICAL MACHINING CENTER



HAAS VF-5 VERTICAL MACHINING CENTER

(7) SAWS, MISCELLANEOUS MACHINES

(7) SAWS

2014 MARVEL 2150PC3S AUTOMATIC VERTICAL TILT FRAME SAW, s/n F2150301PC39, w/ 20" x 25" Capacity, 60° Head Tilt, Full Stroking Hydraulic Vise, Automatic Indexing, 10 HP, Servo Shuttle w/ Bundle Clamp

HYD-MECH V-18A AUTOMATIC VERTICAL TILT FRAME SAW, w/ 18" x 20" Capacity, 45° Head Tilt, 65-385 FPM Blade Speed, Power Feed, Power Clamping

2006 AMADA HKB6050 AUTOMATIC HORIZONTAL BAND SAW, s/n 66500008, w/ Monitouch PLC Control, 24" x 20" Capacity, 9,923 lb. Workload Capacity, 49-325 FPM Blade Speed, 78.7" Rear Indexing Vise Stroke, 23" Front Pulling Vise Stroke, 7.5 HP Saw Drive, Bundle Vises, Hydraulic Blade Tensioning, Auto Guide Width Adjustment

DOALL ML VERTICAL BAND SAW, s/n 47122595, w/ 24" x 24" Table, 16" Throat

JET EHB-8VS HORIZONTAL BAND SAW, s/n 17110134

(2) 2008 KASTO DISC U-10 COLD SAWS, s/n 3515104258, 3515104053



MARVEL 2150PC3S AUTOMATIC VERTICAL TILT FRAME SAW



HYD-MECH V-18A AUTOMATIC VERTICAL TILT FRAME SAW



2006 AMADA HKB6050 AUTOMATIC HORIZONTAL BAND SAW



2008 KASTO DISC U-10 COLD SAWS

MISCELLANEOUS MACHINES

(2) NOVA NS-60P 66 TON OBI PRESS, s/n NS-60P-0005, NS-60P-006, w/ 4.3" Stroke, 12.2" Die Height, 2.9" Slide Adjustment, 35.4" x 21.6" Bolster Area, 19.7" x 14.9" Slide Area, 40-80 SPM

DENISON MULTIPRESS 20 TON HYDRAULIC PRESS, s/n M 4053, 2037 PSI Max. Operating Pressure, 55 Gal. Reservoir

LAGUN 250S VERTICAL MILL, s/n 13010, w/ 9" x 48" Table, 4250 Max RPM

CLAUSING KONDIA VERTICAL MILL, s/n V832, w/ 60-4000 RPM Spindle Speed, 9" x 48" Power Feed Table, Power Drawbar, Newall DP7 2-Axis Digital Readout

SUMMIT NO. 14 GAP BED ENGINE LATHE, s/n na, w/ 14" x 40" Capacity, BISON 8" 3-Jaw Chuck, 4-Way Tool Post, Steady Rest, 19-1800 RPM, In/MM Threading


ALSO: CLAUSING Twin Head Variable Speed Drill Table, 4th Axis Rotary Tables, Arbor Presses, Double End Grinders, Belt Grinders, Drill Presses, Hydraulic Shop Presses, Perishable Tooling, Machine Vises, Bench Vises, CAT 50 & CAT 40 Tool Holders, Tool Holder Carts, and More



SUMMIT NO. 14 GAP BED ENGINE LATHE



NOVA NS-60P 66 TON OBI PRESS



CLAUSING KONDIA VERTICAL MILL

PRE-AUCTION OFFERS INVITED ON MAJOR ASSETS

View our current auction schedule at www.perfectionindustrial.com

QA & INSPECTION DEPARTMENT, (7) FORKLIFTS, (4) BRIDGE AND JIB CRANES

QA & INSPECTION DEPARTMENT

(3) 2012 FARO EDGE PORTABLE 3D CMMs, s/n E09-05-12-09871, E09-05-12-10577, E09-05-12-10105

FARO PLATINUM PORTABLE CMM, s/n P08-020-4-03234, w/ Stand

(10+) HEAVY DUTY STEEL PORTAGE LAYOUT TABLES – Various Dimensions

ALSO: Hardness Testers, Micrometer Sets, Verniers, Bore Gauges, Pin Gauge Sets, Bore Gauges, Granite Surface Plates, Etc.



3 AVAILABLE

2012 FARO EDGE PORTABLE 3D CMMs



10+ AVAILABLE

HEAVY DUTY STEEL PORTAGE LAYOUT TABLES



FARO PLATINUM PORTABLE CMM

(7) FORKLIFTS

CLARK C500-Y100 10,000 LB. LPG FORKLIFT, s/n Y685-0190-8415KOF, w/ Air Tires, Dually Front Tires, Three-Stage Mast, Side Shift, 6' Fork Length

(2) **CLARK S25 5,000 LB. LPG FORKLIFTS**, s/n S232L-0361-120000VN, S232L-0389-12030VN, w/ Air Tires, Three-Stage Mast, Side Shift, Fork Positioners, 42" Fork Length

CATERPILLAR GC25K 4,700 LB. LPG FORKLIFT, s/n AT82C-04853, w/ Air Tire, Three-Stage Mast, Side Shift, 48" Fork Length

(2) **NISSAN 50 4,400 LB. LPG FORKLIFTS**, s/n G466412, G320079, w/ Air Tires, Three-Stage Mast, Side Shift, 42" Fork Length

UNICARRIERS MCP1F2A25LV 4,400 LB. LPG FORKLIFT, s/n CP1F2-9W39675, w/ Air Tire, Three-Stage Mast, Side Shift, Fork Positioners, 42" Fork Length

ALSO: Multiple **CLARK** and **JUNGHEINRICH** Electric Pallet Trucks, **PRESTO** PowerStack Electric Walkie Stacker, Pallet Jacks, and More



CLARK C500-Y100 10,000 LB. LPG FORKLIFT



VIEW OF FORKLIFTS

(4) BRIDGE AND JIB CRANES

HOOSIER 10 TON FREE-STANDING DOUBLE-GIRDER BRIDGE CRANE SYSTEM, s/n 18960, 35117, w/ (2) 10 Ton x 50' Bridges, Approx. 50' x 300' Free-Standing Structure

HIS 8 TON FREE-STANDING DOUBLE GIRDER BRIDGE CRANE SYSTEM, w/ 8 Ton x 50' Bridge, Approx. 50' x 150' Free-Standing Structure

GORBEL 1 TON FREE-STANDING CRANE SYSTEM, w/ 20' x 50' x 14' Under Hook, w/ 1-Ton Electric Hoist, Pendant Control

GORBEL 1 TON FREE-STANDING CRANE SYSTEM, w/ 24' x 40' x 14' Under Hook, w/ 1-Ton Electric Hoist, Pendant Control

ALSO: **HSI** 2 Ton Free-Standing Jib Crane, **KONE** 1 Ton Free-Standing Jib Crane, (2) **GORBEL & HSI** 1/2 Ton Free-Standing Jib Cranes, Assorted Girder Mount Jib Cranes




FREE STANDING

HOOSIER 10 TON BRIDGE CRANE SYSTEM



FREE STANDING

HIS 8 TON DOUBLE GIRDER BRIDGE CRANE SYSTEM



GORBEL 1 TON FREE-STANDING CRANE SYSTEM

FACTORY SUPPORT EQUIPMENT

FACTORY SUPPORT EQUIPMENT

2012 QUINCY QGD-50 50 HP ROTARY SCREW AIR COMPRESSOR, s/n BU1202030024

QUINCY QPNC0300 COMPRESSED AIR DRYER, s/n CAI524898, w/ 188 PSIG Max Working Pressure

INGERSOLL RAND SSR UP SERIES AIR DRYER, s/n PX7533U06230

2015 ATLAS COPCO CD185+ AIR DRYER, s/n UTF1259Y, w/ 165 PSIG Design Pressure, 150 PSIG Max Working Pressure

GLOBAL FINISHING SOLUTIONS WBS-120920-NDT-SS-C-EZ-S DOUBLE DOOR SELF-CONTAINED WASH BOOTH, s/n U45308A, w/ 12' x 20' x 8' High w/ Pressure Washer, REVEER Water Filtration/Recycling System

2011 GENIE Z-30/20N ELECTRIC ARTICULATED BOOM LIFT, s/n Z30N11-12707, w/ 29'2" Max Platform Height, 20'6" Max Platform Reach, 500 lb. Rated Workload

GENIE GS-3246 SCISSOR LIFT, s/n GS46-47903, w/ 38' Max Work Height, 32'1" Max Platform Height, 700 lb. Load Capacity

ITW MULLER YELLOW JACKET STRETCH WRAP MACHINE, s/n G10858-05

FACTORY CAT GTX ELECTRIC FLOOR SCRUBBER, s/n 59011

POWER BOSS ELECTRIC FLOOR SWEEPER

RIDGID 535 POWER THREADER

ALSO: LISTA & STANLEY VIDMAR Cabinets, Flammable Liquid Storage Cabinets, KURT Vises, Tool Holders, Collets, Carbide Inserts, Perishable Tooling, Work Benches, Tool Chests, Dumping Scrap Hoppers, Power Tools, Air Tools, Hand Tools, Rigging Equipment, Clamping Tools, Ladders, Shop Fans, Adjustable Pallet Racks, Complete Maintenance Crib and More



GENIE Z-30/20N ELECTRIC ARTICULATED BOOM LIFT



QUINCY QGD-50 AIR COMPRESSOR



QUINCY QPNC0300 COMPRESSED AIR DRYER



INGERSOLL RAND SSR UP SERIES AIR DRYER



GFS DOUBLE DOOR SELF-CONTAINED WASH BOOTH



KOMA 4TH AXIS TABLE



SAMPLE VIEW OF VISES



SAMPLE VIEW OF TOOL HOLDERS



ITW MULLER YELLOW JACKET STRETCH WRAP MACHINE



POWER BOSS ELECTRIC FLOOR SWEEPER

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com



Bidding Available Through
BidSpotter

View our current auction schedule at www.perfectionindustrial.com

SALE DATE

Tuesday, February 10, at 10 AM CT

ASSET LOCATION

280 E 90th St
Davenport, IA 52806

INSPECTION

Monday, February 9, from 9 AM to 4 PM CT, or by appointment

REMOVAL

All small items must be removed by Friday, February 13. All other items must be removed by Friday, February 27. All removal is strictly on an appointment only basis. Anyone removing purchased items with a lift truck or another powered vehicle must have a certificate of insurance with a \$2M General Liability policy, the policy must include a Worker's Compensation rider, and that certificate of insurance must be provided to the auctioneer for review and approval prior to the auction.

TERMS OF SALE

An 18% Buyer's Premium will be charged on all assets purchased by buyers providing full payment is made within 48 hours following the sale. Acceptable forms of payment are cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of the sale close. For any Buyers failing to pay within the 48 hour stated payment period, the Buyer's Premium will be increased to 20%. All invoices paid with a credit card are subject to a 20% Buyer's Premium, and credit card payments are only allowed up to a maximum of \$2,000 per auction. Everything will be sold to the highest bidder, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the Auctioneer's website and subject to additional terms announced the day of sale. All items are sold "As is, Where is" without any warranty, express or implied.

FURTHER INFORMATION

For auction inquiries, please contact Jennifer Reiner at (847) 545-6374 or jennifer@perfectionindustrial.com.

To discuss your requirements for an auction, please call Perfection Industrial +1-847-545-6374